



Review Article

Open Access

HARNESSING GENETIC DIVERSITY FOR SUSTAINABLE MAIZE PRODUCTION

NAWAZ R¹, RIAZ U², GOUHAR H¹, MUKHTAR M¹, ARSHAD A³, HUSSAIN AA¹, HAMID A¹, MEHBOOB A¹, *SAFIULLAH D⁴, *KHALID MN¹, AMJAD I¹

¹Department of Plant Breeding and Genetics, University of Agriculture Faisalabad, Pakistan

²Institute of Horticultural Sciences, University of Agriculture Faisalabad, Pakistan

³Center of Agricultural Biotechnology and Biochemistry, University of Agriculture Faisalabad, Pakistan

⁴Department of Forestry, New Mexico Highlands University, Las Vegas, NM, United States

*Correspondence author email address: dsafiullah@live.nmhu.edu, noumankhalidpbg@gmail.com

(Received, 15th February 2023, Revised 27th November 2023, Published 30th November 2023)

Abstract This review article explores the pivotal role of genetic diversity in achieving sustainable maize production. The introduction emphasizes the critical importance of genetic variability, tracing its historical significance in maize cultivation. The comprehensive overview of genetic resources in maize elucidates natural variations, breeding strategies, and conservation efforts, providing a foundation for practical applications. The section on applications examines how genetic diversity contributes to disease resistance, pest tolerance, and adaptation to abiotic stresses, underscoring its multifaceted role in ensuring agricultural resilience. Beyond agronomic benefits, the review delves into the nutritional enrichment facilitated by genetic diversity, showcasing its potential to address malnutrition. Challenges and prospects form a crucial segment, addressing ethical and regulatory concerns associated with genetic diversity utilization. The discussion extends to technological advances, emphasizing the integration of modern tools and the potential synergy with traditional approaches for sustainable maize production. This review encapsulates the dynamic interplay between genetic diversity and sustainable maize agriculture, navigating historical contexts, scientific advancements, and ethical considerations. It provides a holistic perspective on the challenges and opportunities, offering insights that guide the trajectory of maize production towards resilience and sustainability in a rapidly changing agricultural landscape.

Keywords: Maize production, Genetic diversity, Sustainability, Agricultural resilience, Breeding strategies, Disease resistance, Abiotic stress adaptation, Nutritional enrichment

Introduction

Maize, a global staple and a cornerstone of agricultural economies faces unprecedented challenges in the 21st century, including climate change, emerging diseases, and a growing demand for nutritious crops (Ceoloni et al., 2017). Amidst these challenges, the harnessing of genetic diversity emerges as a key strategy for ensuring the sustainability and resilience of maize production (Iqra et al., 2020; Pixley et al., 2018). This review delves into the multifaceted dimensions of genetic diversity in the context of maize cultivation, providing a nuanced exploration of its historical significance, contemporary applications, and the promising avenues it opens for the future of agriculture. The importance of genetic diversity lies in its ability to confer adaptability and robustness to maize crops. Over centuries, traditional farming practices have inadvertently contributed to the genetic diversity of maize through the cultivation and selection of region-specific varieties (Buchanan-Wollaston et al., 2017). However, the advent of modern agriculture, with its emphasis on high-yielding varieties, has underscored

the need to deliberate on balancing genetic diversity with the demands for increased productivity (Ali et al., 2016; Cortés & López-Hernández, 2021; Ghafoor et al., 2020). As we navigate the genetic landscape of maize, Section I introduces the fundamental importance of genetic diversity, emphasizing its role in addressing challenges such as disease outbreaks, pest pressures, and the unpredictability of climatic conditions. Section II provides a comprehensive overview of the genetic resources within maize, elucidating the natural variations, breeding strategies, and conservation efforts that form the bedrock of sustainable agricultural practices.

Sections III and IV delve into the practical applications of genetic diversity, exploring how it enhances disease resistance, aids in abiotic stress adaptation, and contributes to nutritional enrichment. Challenges associated with ethical considerations, regulatory frameworks, and the integration of advanced technologies are then dissected, offering insights into the complexities that accompany the utilization of genetic diversity in maize production. In essence, this review embarks on a journey through the

intricate tapestry of genetic diversity in maize, unraveling its historical threads, current applications, and the challenges and opportunities on the path to sustainable agriculture.

Introduction to Genetic Diversity in Maize Production

Genetic diversity in maize production is a cornerstone for sustainable agriculture, offering many benefits beyond immediate yields(Singh et al., 2017). This section delves into the fundamental importance of genetic diversity and provides insights into the historical context that has shaped our understanding of the maize genome (figure 1).




Figure 1: Introduction to Genetic Diversity in Maize Production

Importance of Genetic Diversity

Genetic diversity in maize is a reservoir of valuable traits that can be harnessed to confront the challenges of changing climates, emerging diseases, and evolving pests(Masood et al., 2015; Messina et al., 2023; Nawaz et al., 2020). The diverse genetic makeup within maize populations allows for the adaptation of crops to various environmental conditions, ensuring resilience and stability in the face of uncertainties. Furthermore, genetic diversity is vital for maintaining long-term productivity. Monocultures, which rely on a limited set of genetic traits, are susceptible to catastrophic failures if a new pest or disease emerges(Ali et al., 2013; Allier et al., 2020; Naseem et al., 2020). In contrast, diverse maize populations act as a natural insurance policy, as certain varieties may possess inherent resistance to specific threats. This intrinsic variability also enhances the overall robustness of the agricultural ecosystem.

Historical Perspectives on Maize Genetic Diversity

The history of maize cultivation is intertwined with farmers' development and selection of diverse varieties over generations. Indigenous agricultural practices have played a crucial role in shaping the genetic landscape of maize, resulting in region-specific adaptations(Muqadas et al., 2020; Truong et al., 2015). Understanding this historical context provides valuable insights into the genetic reservoirs that have sustained maize production through centuries. As societies transitioned from traditional farming to modern agriculture, the focus shifted towards high-yielding varieties, often at the expense of genetic diversity. While immensely successful in

increasing crop yields, the Green Revolution inadvertently led to a reduction in genetic variability within cultivated crops, including maize(Topp et al., 2016). Acknowledging this historical shift highlights the need to balance the pursuit of yield with the preservation of genetic diversity for long-term agricultural sustainability.

Significance of Sustainable Maize Production

Sustainable maize production is not merely a current agricultural trend but a necessity for the future. Genetic diversity is a key driver in achieving sustainability by fostering ecological balance, reducing the dependence on external inputs, and promoting the well-being of farming communities(Ali et al., 2017; Sarwar et al., 2022). This section emphasizes the critical role of genetic diversity as a foundation for sustainable maize production, setting the stage for a deeper exploration of its applications in subsequent sections.

Genetic Resources in Maize: A Comprehensive Overview

Understanding the genetic resources available in maize is fundamental to harnessing its full potential for sustainable agriculture(Gorjanc et al., 2016). This section provides a comprehensive examination of the natural genetic variation within maize populations, explores the breeding strategies employed to enhance desirable traits, and delves into the conservation efforts to preserve this vital crop's rich genetic heritage (figure 2).




Figure 2: Genetic Resources in Maize: A Comprehensive Overview

Natural Genetic Variation in Maize

With its diverse ancestry and evolutionary history, Maize harbors a wealth of genetic diversity(Bari et al., 2021). The natural variation present in maize populations encompasses traits related to yield, disease resistance, environmental adaptability, and nutritional content. Exploring this diversity at the genetic level allows scientists and breeders to identify and select traits crucial for developing maize varieties with superior performance under varying conditions(Ganguly et al., 2022).

The study of maize landraces, wild relatives, and heirloom varieties offers valuable insights into the adaptive mechanisms that have evolved. Genetic mapping and sequencing techniques have become essential tools for unraveling the intricate genetic

makeup of maize, enabling a more precise and targeted approach to breeding for specific traits (Singh et al., 2018).

Breeding Strategies for Genetic Enhancement

Modern breeding strategies aim to accelerate the development of maize varieties with improved traits by strategically manipulating the available genetic diversity. This involves techniques such as hybridization, marker-assisted selection, and, more recently, genome editing technologies (Jing et al., 2022). The integration of traditional and molecular breeding approaches allows for the efficient transfer of beneficial traits while maintaining the overall genetic integrity of maize populations (Sharma et al., 2017). Understanding the genetic basis of key agronomic traits becomes paramount in this context. Breeders can then target specific genes associated with traits such as drought tolerance, resistance to pests, and nutritional content, facilitating the development of maize varieties that meet current agricultural challenges and contribute to long-term sustainability.

Conservation of Maize Genetic Resources

Preserving the genetic diversity of maize is essential for ensuring future food security. Conservation efforts encompass the establishment of germplasm banks, in-situ conservation within traditional farming communities, and documenting indigenous knowledge related to maize cultivation (Martini et al., 2021). This section explores the importance of these conservation initiatives in maintaining a diverse pool of genetic resources that can be tapped into for future breeding programs. A comprehensive understanding of the genetic resources in maize sets the stage for exploring the practical applications of this diversity in enhancing the sustainability and resilience of maize production systems.

Applications of Genetic Diversity in Sustainable Maize Agriculture

The rich genetic diversity within maize populations holds immense potential for addressing the multifaceted challenges in agriculture (Menkir et al., 2017). This section focuses on the practical applications of harnessing genetic diversity for sustainable maize production. It focuses on its role in conferring disease resistance, adapting to abiotic stress, and enhancing nutritional content (figure 3).



Figure 3: Applications of Genetic Diversity in Sustainable Maize Agriculture

Disease Resistance and Pest Tolerance

One of the primary applications of genetic diversity in maize production is the development of varieties with enhanced resistance to diseases and pests (Schultz et al., 2022). The dynamic nature of pathogens and evolving pest pressures necessitates a continuous exploration of the genetic arsenal within maize. Breeding for disease resistance involves identifying and incorporating resistance genes from diverse maize varieties, ensuring a robust defense against prevalent and emerging threats (Bloch et al., 2020). Using natural genetic variation also allows for the development of maize varieties with inherent pest tolerance, reducing the reliance on chemical pesticides. This promotes environmentally sustainable farming practices and contributes to the overall health of agricultural ecosystems (Ainsworth & Carmo-Silva, 2019).

Abiotic Stress Adaptation

Maize is susceptible to various abiotic stresses such as drought, salinity, and extreme temperatures, which can significantly impact yield. Genetic diversity is

pivotal in developing maize varieties that can thrive under adverse environmental conditions. By identifying genes associated with stress tolerance, breeders can introduce these traits into commercial varieties, providing farmers with resilient crops that can withstand a range of challenging environments (Kaur et al., 2022). Climate change further underscores the importance of genetic diversity in adapting agriculture to evolving conditions (Choudhary et al., 2017). By leveraging the diverse genetic resources within maize, scientists and breeders can contribute to developing climate-smart varieties that ensure food security in the face of a changing climate.

Nutritional Enrichment through Genetic Variation

Beyond agronomic traits, genetic diversity in maize also influences its nutritional composition. Enhancing the nutritional content of maize is crucial, particularly in regions where maize serves as a staple food (Chen et al., 2021). Through targeted breeding efforts, the levels of essential nutrients such as vitamins,

minerals, and proteins can be increased in maize varieties, addressing malnutrition and promoting human health.

This section explores the transformative potential of genetic diversity in creating maize varieties that not only withstand environmental challenges but also contribute to improved human nutrition, aligning with broader goals of sustainable and resilient agriculture.

IV. Challenges and Future Prospects in Harnessing Maize Genetic Diversity

As we navigate the realm of harnessing genetic diversity for sustainable maize production, it is imperative to acknowledge the challenges that accompany such endeavors and to explore the prospects that hold promise for advancing this critical field (Houston et al., 2020). Section IV delves into the complexities surrounding the ethical, regulatory, and technological dimensions highlighting the potential integration of traditional and modern approaches for sustainable maize cultivation.

Addressing Ethical and Regulatory Concerns

The utilization of genetic diversity in maize production raises ethical considerations regarding issues such as ownership of genetic resources, equitable access to advancements, and potential unintended consequences. Balancing the interests of various stakeholders, including farmers, researchers, and seed companies, requires careful navigation of ethical considerations. Additionally, navigating regulatory frameworks that govern the release and commercialization of genetically diverse maize varieties poses a significant challenge. This section examines the ethical dimensions of genetic diversity and outlines strategies for ensuring equitable access, benefit-sharing, and responsible deployment of genetic resources.

Technological Advances and Genomic Tools

The future of harnessing genetic diversity in maize production is intricately linked to technological advancements and the evolving landscape of genomic tools (Gorafi et al., 2018). Integrating cutting-edge technologies, such as CRISPR-Cas9 and high-throughput sequencing, provides unprecedented precision in manipulating the maize genome. This expedites the breeding process and enables the targeted introduction of beneficial traits (Adhikari et al., 2022). Exploring the current state of genomic tools and anticipating future developments is essential for harnessing genetic diversity effectively.

Moreover, advancements in computational biology and data analytics play a pivotal role in deciphering complex genetic interactions, allowing for more informed breeding decisions. As the field continues to evolve, the synergy between technological innovation and genetic diversity is key to addressing emerging challenges in maize production.

Integration of Traditional and Modern Approaches for Sustainable Maize Production

Striking a balance between traditional and modern approaches is vital for ensuring the sustainability of

maize production systems. While modern biotechnological tools offer unprecedented precision, traditional farming practices embedded with local knowledge contribute to conserving diverse landraces and heirloom varieties (Schultz et al., 2021). This section explores the potential synergies between traditional and modern approaches, emphasizing the importance of preserving indigenous agricultural knowledge while leveraging the benefits of cutting-edge technologies.

In conclusion, Section IV addresses the challenges and prospects in harnessing genetic diversity for sustainable maize production, emphasizing the need for a holistic and inclusive approach that considers ethical, regulatory, and technological dimensions. By navigating these challenges and embracing the potential synergies between diverse approaches, the agricultural community can pave the way for a resilient and sustainable future in maize cultivation.

References

- Adhikari, S., Kumari, J., Jacob, S. R., Prasad, P., Gangwar, O., Lata, C., Thakur, R., Singh, A. K., Bansal, R., & Kumar, S. (2022). Landraces-potential treasure for sustainable wheat improvement. *Genetic Resources and Crop Evolution*, 69(2), 499-523.
- Ainsworth, E. A., & Carmo-Silva, E. (2019). Harnessing genetic variation in metabolic traits to understand trait evolution and improve the sustainability of crop production. *Current Opinion in Plant Biology*, 49, A1-A3.
- Ali, J., Xu, J.-L., Gao, Y.-M., Ma, X.-F., Meng, L.-J., Wang, Y., Pang, Y.-L., Guan, Y.-S., Xu, M.-R., & Revilla, J. E. (2017). Harnessing the hidden genetic diversity for improving multiple abiotic stress tolerance in rice (*Oryza sativa* L.). *PLoS One*, 12(3), e0172515.
- Ali, Q., Ahsan, M., Ali, F., Aslam, M., Khan, N. H., Munzoor, M., Mustafa, H. S. B., & Muhammad, S. (2013). Heritability, heterosis and heterobeltiosis studies for morphological traits of maize (*Zea mays* L.) seedlings. *Advancements in Life Sciences*, 1(1).
- Ali, Q., Ahsan, M., Kanwal, N., Ali, F., Ali, A., Ahmed, W., Ishfaq, M., & Saleem, M. (2016). Screening for drought tolerance: comparison of maize hybrids under water deficit condition. *Advancements in Life Sciences*, 3(2), 51-58.
- Allier, A., Teyssèdre, S., Lehermeier, C., Moreau, L., & Charcosset, A. (2020). Optimized breeding strategies to harness genetic resources with different performance levels. *BMC genomics*, 21, 1-16.
- Bari, M. A. A., Zheng, P., Viera, I., Worrall, H., Szwiec, S., Ma, Y., Main, D., Coyne, C. J., McGee, R. J., & Bandillo, N. (2021). Harnessing genetic diversity in the USDA pea germplasm collection through genomic prediction. *Frontiers in Genetics*, 12, 707754.

- Bloch, S. E., Ryu, M.-H., Ozaydin, B., & Broglie, R. (2020). Harnessing atmospheric nitrogen for cereal crop production. *Current Opinion in Biotechnology*, 62, 181-188.
- Buchanan-Wollaston, V., Wilson, Z., Tardieu, F., Beynon, J., & Denby, K. (2017). Harnessing diversity from ecosystems to crops to genes. *Food and Energy Security*, 6(1), 19-25.
- Ceoloni, C., Kuzmanović, L., Ruggeri, R., Rossini, F., Forte, P., Cuccurullo, A., & Bitti, A. (2017). Harnessing genetic diversity of wild gene pools to enhance wheat crop production and sustainability: Challenges and opportunities. *Diversity*, 9(4), 55.
- Chen, Q., Li, W., Tan, L., & Tian, F. (2021). Harnessing knowledge from maize and rice domestication for new crop breeding. *Molecular Plant*, 14(1), 9-26.
- Choudhary, M., Singh, V., Muthusamy, V., & Wani, S. H. (2017). Harnessing crop wild relatives for crop improvement.
- Cortés, A. J., & López-Hernández, F. (2021). Harnessing crop wild diversity for climate change adaptation. *Genes*, 12(5), 783.
- Ganguly, D. R., Hickey, L. T., & Crisp, P. A. (2022). Harnessing genetic variation at regulatory regions to fine-tune traits for climate-resilient crops. *Molecular Plant*, 15(2), 222-224.
- Ghafoor, M., Ali, Q., & Malik, A. (2020). Effects of salicylic acid priming for salt stress tolerance in wheat. *Biological and Clinical Sciences Research Journal*, 2020(1).
- Gorafí, Y. S. A., Kim, J.-S., Elbashir, A. A. E., & Tsujimoto, H. (2018). A population of wheat multiple synthetic derivatives: an effective platform to explore, harness and utilize genetic diversity of *Aegilops tauschii* for wheat improvement. *Theoretical and Applied Genetics*, 131, 1615-1626.
- Gorjanc, G., Jenko, J., Hearne, S. J., & Hickey, J. M. (2016). Initiating maize pre-breeding programs using genomic selection to harness polygenic variation from landrace populations. *BMC genomics*, 17(1), 1-15.
- Houston, R. D., Bean, T. P., Macqueen, D. J., Gundappa, M. K., Jin, Y. H., Jenkins, T. L., Selly, S. L. C., Martin, S. A., Stevens, J. R., & Santos, E. M. (2020). Harnessing genomics to fast-track genetic improvement in aquaculture. *Nature Reviews Genetics*, 21(7), 389-409.
- Iqra, L., Rashid, M. S., Ali, Q., Latif, I., & Maik, A. (2020). Evaluation for Na⁺/K⁺ ratio under salt stress condition in wheat. *Life Sci J*, 17(7), 43-47.
- Jing, J., Gao, W., Cheng, L., Wang, X., Duan, F., Yuan, L., Rengel, Z., Zhang, F., Li, H., & Cahill Jr, J. F. (2022). Harnessing root-foraging capacity to improve nutrient-use efficiency for sustainable maize production. *Field Crops Research*, 279, 108462.
- Kaur, K., Sharma, A., Mavi, G. S., Srivastava, P., Kaur, H., Sharma, H., Singh, S., Kushwah, A., & Sohu, V. S. (2022). Biofortified wheat: Harnessing genetic diversity for improved nutritional quality to eradicate hidden hunger. *Crop science*, 62(2), 802-819.
- Martini, J. W., Molnar, T. L., Crossa, J., Hearne, S. J., & Pixley, K. V. (2021). Opportunities and challenges of predictive approaches for harnessing the potential of genetic resources. *Frontiers in plant science*, 12, 674036.
- Masood, S. A., Jabeen, S., Anum, M., Naseem, Z., Jamshaid, A., & Ali, Q. (2015). Genetic Association of transcriptional factors (OsAP2 gene family) to incorporate drought tolerance in rice. *Life Science Journal*, 12(3s), 71-76.
- Menkir, A., Maziya-Dixon, B., Mengesha, W., Rocheford, T., & Alamu, E. O. (2017). Accruing genetic gain in pro-vitamin A enrichment from harnessing diverse maize germplasm. *Euphytica*, 213, 1-12.
- Messina, C. D., Gho, C., Hammer, G. L., Tang, T., & Cooper, M. (2023). Two decades of harnessing standing genetic variation for physiological traits to improve drought tolerance in maize. *Journal of experimental botany*, 74(16), 4847-4861.
- Muqadas, S., Ali, Q., & Malik, A. (2020). Genetic association among seedling traits of *Zea mays* under multiple stresses of salts, heavy metals and drought. *Biological and Clinical Sciences Research Journal*, 2020(1).
- Naseem, S., Ali, Q., & Malik, A. (2020). Evaluation of maize seedling traits under salt stress. *Biological and Clinical Sciences Research Journal*, 2020(1).
- Nawaz, A., Haseeb, A., Malik, H., Ali, Q., & Malik, A. (2020). Genetic association among morphological traits of *Zea mays* seedlings under salt stress. *Biological and Clinical Sciences Research Journal*, 2020(1).
- Pixley, K. V., Salinas-Garcia, G. E., Hall, A., Kropff, M., Ortiz, C., Bouvet, L. C., Suhalia, A., Vikram, P., & Singh, S. (2018). CIMMYT's seeds of discovery initiative: harnessing biodiversity for food security and sustainable development. *Indian Journal of Plant Genetic Resources*, 31(01), 01-10.
- Sarwar, M., Anjum, S., Alam, M. W., Ali, Q., Ayyub, C., Haider, M. S., Ashraf, M. I., & Mahboob, W. (2022). Triacanol regulates morphological traits and enzymatic activities of salinity affected hot pepper plants. *Scientific reports*, 12(1), 3736.
- Schultz, C., Brantley, K., & Wallace, J. (2021). The Role of Genetic Variation in Maize Response to Beneficial Endophytes. *bioRxiv*, 2021.2011.2003.467096.
- Schultz, C. R., Brantley, K. M., & Wallace, J. G. (2022). The role of genetic variation in *Zea mays*

response to beneficial endophytes. *Plant Growth Regulation*, 98(1), 167-177.

Sharma, S., Pandey, M. K., Sudini, H. K., Upadhyaya, H. D., & Varshney, R. K. (2017). Harnessing genetic diversity of wild *Arachis* species for genetic enhancement of cultivated peanut. *Crop science*, 57(3), 1121-1131.

Singh, A. K., Singh, R., Velmurugan, A., Kumar, R. R., & Biswas, U. (2018). Harnessing genetic resources in field crops for developing resilience to climate change. In *Biodiversity and Climate Change Adaptation in Tropical Islands* (pp. 597-621). Elsevier.

Singh, R., Govindan, V., & Andersson, M. S. (2017). *Zinc-biofortified wheat: harnessing genetic diversity for improved nutritional quality*.

Topp, C. N., Bray, A. L., Ellis, N. A., & Liu, Z. (2016). How can we harness quantitative genetic variation in crop root systems for agricultural improvement? *Journal of integrative plant biology*, 58(3), 213-225.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/). © The Author(s) 2023

Truong, S. K., McCormick, R. F., Rooney, W. L., & Mullet, J. E. (2015). Harnessing genetic variation in leaf angle to increase productivity of *Sorghum bicolor*. *Genetics*, 201(3), 1229-1238.

Declaration

Conflict of interest

There is no conflict of interest among the authors.

Data Availability statement

All authenticated data have been included in the manuscript.

Ethics approval and consent to participate

These aspects are not applicable in this paper.

Consent for publication

Not applicable

Funding

There were no sources providing support, for this paper.